

# **Strip brushes**

# **One solution**

# **Endless applications**

Product illustration and applications



## STRIP BRUSH

# CUSTOM B4

Strip brush B4 can be customised to suit the required application.  
Available with aluminium support for fixing and customisable.

Specification

**B(S) - Base**

Specification


**L - Length**

Specification

**HT - Total height**

Specification

**Bristles material**



Available in different sizes, densities and filament materials (synthetic, natural or metallic), the strip brush can be mounted on linear supports and easily integrated into machinery, conveyor belts, industrial doors or automated systems.

### Key features:

- Customizable lengths on request
- Wide choice of materials (PPL, PA, stainless steel, brass, horsehair, etc.)
- Density and thickness on request
- Easy installation on aluminum profiles

### Ideal for:

- Dust barriers, draughts
- Automatic cleaning systems
- Protection from splinters or splashes



## STRIP BRUSH

# B4



Strip brush B4 available in various sizes and heights, with standard versions available from stock. Customised batches in different lengths or heights can be produced on request.

**Applications:** Industrial doors, windows, gates, roofing.

### On stock:

Code	B	L(mm)	HT(mm)	Bristles material	Units for each box
FE-B4HT15	B4	2500	15	PPL	100
FE-B4HT20	B4	2500	20	PPL	100
FE-B4HT25	B4	2500	25	PPL	100
FE-B4HT30	B4	2500	30	PPL	100

### Optional material:

PPL, PA, Stainless Steel, Brass, Natural Fiber



## ALUMINIUM PROFILE




# B4 180°

Aluminium 180° support for mounting and fixing strip brush B4.

Aluminium extruded profile (AL 6060) produced by extrusion.

Production in custom lengths available on request.



## FE-SB4180G

### Technical details

Designed for applications on industrial doors, civil and industrial coverings.

Mounting options include fixing holes or reinforced eyelets for quick and reliable installation.

Code	B	L(mm)	H(mm)	Material	Optional
FE-SB4180G	B4	2500	17.5	AL 6060	black anodizing



## ALUMINIUM PROFILE


# B4 90°



Aluminium 90° support for mounting and fixing strip brush B4.

Aluminium extruded profile (AL 6060) produced by extrusion.

Production in custom lengths available on request.



## FE-SB490G

### Technical details

Designed for applications on industrial doors, civil and industrial coverings.

Mounting options include fixing holes or reinforced eyelets for quick and reliable installation.

Code	B	L (mm)	H (mm)	Material	Optional
FE-SB490G	B4	2500	17.5	AL 6060	black anodizing

## STRIP BRUSH

# CUSTOM B5

Brush strip base 5 can be customised to suit the required application. Available with aluminium support for fixing and customisable.

Specification

**B(S) - Base**

Specification


**L - Length**

Specification

**HT - Total height**

Specification

**Bristles material**



Available in different sizes, densities and filament materials (synthetic, natural or metallic), the strip brush can be mounted on linear supports and easily integrated into machinery, conveyor belts, industrial doors or automated systems.

### Key features:

- Customizable lengths on request
- Wide choice of materials (PPL, PA, stainless steel, brass, horsehair, etc.)
- Density and thickness on request
- Easy installation on aluminum profiles

### Ideal for:

- Dust barriers, draughts
- Automatic cleaning systems
- Protection from splinters or splashes



## STRIP BRUSH

# B5



Strip brush B5 available in various sizes and heights, with standard versions available from stock. Customised batches in different lengths or heights can be produced on request.

**Applications:** Industrial doors, windows, gates, roofing.

### On stock

Code	B	L(mm)	HT(mm)	Bristles material	Units for each box
FE-B5HT19	B5	2500	19	PPL	60
FE-B5HT25	B5	2500	25	PPL	60
FE-B5HT32	B5	2500	32	PPL	60
FE-B5HT38	B5	2500	38	PPL	60
FE-B5HT44	B5	2500	44	PPL	50
FE-B5HT50	B5	2500	50	PPL	50
FE-B5HT60	B5	2500	60	PPL	50
FE-B5HT80	B5	2500	80	PPL	20
FE-B5HT100	B5	2500	100	PPL	15

### Optional material:

PPL, PA, Stainless Steel, Brass, Natural Fiber



## ALUMINIUM PROFILE




# B5 180°

Aluminium 180° support for mounting and fixing strip brush B5.

Aluminium extruded profile (AL 6060) produced by extrusion.

Production in custom lengths available on request.



## FE-SB5180G

### Technical details

Designed for applications on industrial doors, civil and industrial coverings.

Mounting options include fixing holes or reinforced eyelets for quick and reliable installation.

Code	B	L(mm)	H(mm)	Material	Optional
FE-SB5180G	B5	2500	25.7	AL 6060	black anodized





## ALUMINIUM PROFILE


# B5 90°



Aluminium 90° support for mounting and fixing strip brush B5.

Aluminium extruded profile (AL 6060) produced by extrusion.

Production in custom lengths available on request.



## FE-SB590G

### Technical details

Designed for applications on industrial doors, civil and industrial coverings.

Mounting options include fixing holes or reinforced eyelets for quick and reliable installation.

Code	B	L (mm)	H (mm)	Material	Optional
FE-SB590G	B5	2500	24.8	AL 6060	black anodizing

## **Siat S.r.L.**

Corporate Office:

Via Circonvallazione Ovest 53  
Castello d'Argile 40050, (BO)  
Italy  
T: +39 051 977027  
[info@siat.it](mailto:info@siat.it)

[siat.it](http://siat.it)